

Guangdong Baishan Furniture Co., Ltd.

TO BE ONE OF WORLD-KNOWN BRANDS IN CUSTOMIZED FURNITURE



Top Ten China Export Brands



Top Ten China Whole-House Custom Furniture Brands



Top Ten China Cabinetry Brands



Brand on the list "Global Figures"



Products System



Top Ten China Export Brands



Top Ten China Whole-House Custom Furniture Brands



Top Ten China Cabinetry Brands



Brand on the list "Global Figures"



www.pakitchen.com

PA CREATES EXTRAORDINARY QUALITY

WANG YAN, PA BRAND
AMBASSADOR



品爱形象大使——王艳

PA KITCHEN is bond to be a

**WORLD-KNOWN
BRAND**

Providing Customer & Partners with professional
customization solutions

PRODUCT ADVANTAGE-RAW MATERIALS

PA Particle Board

PA particle board only has very low formaldehyde release, can reach E0 standard, no any pungent smell. It is a moistureproof material. Its density is about 680kg/m³.



正本
ORIGINAL

中国检验认证集团广东有限公司
CCIC GUANGDONG CO., LTD.

地址: 广东省广州市珠江新城花城大道99号西塔楼17-18楼
Add: 17-18/F, West Tower No.99 Hua Cheng Avenue, Zhu Jiang
New Town, Guangzhou, Guangdong, China
电话(Tel): 86-20-38290334
传真(Fax): 86-20-38290342
邮编(P.C): 510623

证书编号 No. 441818080031
签发日期 Date 2018 年 8 月 28 日

检验报告
REPORT OF INSPECTION

申请人/Applicant: 广东百山家居有限公司/Guangdong Baishan Furniture Co., Ltd.

申报品名/Sample Name	标记/Sample Mark	样品数量/Quantity
刨花板/particle board	01051800006086	-8-件/-8-PCS

收样日期/Date of sample received: 2018 年 08 月 15 日/Aug.15,2018
检验日期/Date of Test Finished: 2018 年 08 月 28 日/Aug.28,2018
检测要求/Test Requested: 按照美国标准检测样品的甲醛释放量。/Determine the Formaldehyde release of the submitted sample(s) according to ASTM standard.
检测结果/Test Result:

检测项目 Test Items	单位 Unit	检测结果 Test Results	限量要求 Limit Requirement	检测方法 Test Method	结果评定 Assessment
甲醛释放量 Formaldehyde Release	ppm	0.03	≤0.09	ASTM D 6007: 2014	符合要求 Pass

* * * 结束/End of report * *

备注: 1) 本报告译文如有任何异点, 概以中文为准。
Remarks: In case of divergence, the Chinese text shall be regarded as authentic.
2) 本报告壹正叁副
The report in 1 original and 3 copies.
3) 本检验结果仅对所检样品负责。
The test results are responsible for the inspected samples only.

For and on behalf of
CCIC GUANGDONG CO., LTD.
中国检验认证集团广东有限公司

授权签字人: 
Authorized Signatory 授权签字人: 

统一社会信用代码: 914400007583210511
第 1 页 共 1 页/ Page 1 of 1

C 0217296

正本
ORIGINAL

中国检验认证集团广东有限公司
CCIC GUANGDONG CO., LTD.

地址: 广东省广州市珠江新城花城大道99号西塔楼17-18楼
Add: 17-18/F, West Tower No.99 Hua Cheng Avenue, Zhu Jiang
New Town, Guangzhou, Guangdong, China
电话(Tel): 86-20-38290334
传真(Fax): 86-20-38290342
邮编(P.C): 510623

证书编号 No. 441819090021
签发日期 Date 2019 年 9 月 18 日

检验报告
REPORT OF INSPECTION

申请人/APPLICANT: 广东百山家居有限公司/Guangdong Baishan Furniture Co., Ltd.

样品说明/SAMPLE DESCRIPTION: 以下样品由申请人送交, 样品状况良好。/The samples submitted by the applicant are shown as follows.

申报品名/Sample Name	样品规格/Sample Size	标记/Mark	样品数量/Quantity
刨花板/particle board	18mm×400mm×400mm	01051900005485	-4-件/-4-Pcs



收样日期/DATE OF SAMPLE RECEIVED: 2019.09.10
检测日期/TEST PERIOD: 2019.09.10~2019.09.18
检测要求/TEST REQUESTED: 按照欧盟标准检测样品的甲醛释放量。/Determine the Formaldehyde release of the submitted sample(S) according to EN standard.
检测结果/Test Result:

检测项目 Test Item	检测方法 Test Method	限量要求 Limit Requirement	结果数据 Test Result	单位 Unit	单项评定 Assessment
甲醛释放量 Formaldehyde Release	BS EN ISO 12460-5:2015	E ₁ ≤8 E ₂ ≤30	1.8	mg/100g	符合E ₁ 级要求 Grade E ₁

* * * 结束/End of report * *

备注: 1) 本报告译文如有任何异点, 概以中文为准。
Remarks: In case of divergence, the Chinese text shall be regarded as authentic.
2) 本报告壹正贰副
The report in 1 original and 2 copies.
3) 本检验结果仅对所检样品负责。
The test results are responsible for the inspected samples only.

For and on behalf of
CCIC GUANGDONG CO., LTD.
中国检验认证集团广东有限公司

授权签字人: 
Authorized Signatory 授权签字人: 

统一社会信用代码: 914400007583210511
第 1 页 共 1 页/ Page 1 of 1

C 0235997

PRODUCT ADVANTAGE-RAW MATERIALS

Bad Quality Particle Board



Bad quality particle board has high formaldehyde release with pungent smell, it is bad for health. It is not good at moistureproof so it is easy to swell in the wet weather. It will have many chips if drilling holes on it.



WHERE THERE IS HOME, THERE IS PA KITCHEN

PRODUCT ADVANTAGE-RAW MATERIALS

PA MDF Board

PA MDF board only has very low formaldehyde release, can reach E1 standard, no any pungent smell. It is a material to make shaker doors. Its density is about 730kg/m³.



正本
ORIGINAL

中国检验认证集团广东有限公司
CCIC GUANGDONG CO., LTD.

地址: 广东省广州市珠江新城花城大道56号西塔楼17-18楼
Add: 17-18/F, West Tower No.66 Hua Cheng Avenue, Zhu Jiang
New Town, Guangzhou, Guangdong, China
电话(Tel): 86-20-38290234
传真(Fax): 86-20-38290342
邮编(P.C): 510623

证书编号 No. 441818080030
签发日期 Date 2018 年 8 月 28 日

检验报告
REPORT OF INSPECTION

申请人/Applicant: 广东百山家居有限公司/Guangdong Baishan Furniture Co., Ltd.

申报品名/Sample Name	标记/Sample Mark	样品数量/Quantity
中纤板/MDF	01051800006085	-8-件/-8-PCS

收样日期/Date of sample received: 2018 年 08 月 15 日/Aug. 15, 2018
检验日期/Date of Test Finished: 2018 年 08 月 28 日/Aug. 28, 2018
检测要求/Test Requested: 按照美国标准检测样品的甲醛释放量。/Determine the Formaldehyde release of the submitted sample(s) according to ASTM standard.
检测结果/Test Result:

检测项目 Test Items	单位 Unit	检测结果 Test Results	限量要求 Limit Requirement	检测方法 Test Method	结果评定 Assessment
甲醛释放量 Formaldehyde Release	ppm	0.04	≤ 0.11	ASTM D 6007: 2014	符合要求 Pass

结束/End of report

备注: 1) 本报告译文如有任何异点, 概以中文为准。
Remarks: In case of divergence, the Chinese text shall be regarded as authentic.
2) 本报告壹正贰副
The report in 1 original and 2 copies.
3) 本检验结果仅对所检验样品负责。
The test results are responsible for the inspected samples only.

授权签字人: [Signature]
Authorized Signatory

CCIC GUANGDONG CO., LTD.
中国检验认证集团广东有限公司

统一社会信用代码: 914400007583210511
第 1 页 共 1 页 / Page 1 of 1

C 0217295

正本
ORIGINAL

中国检验认证集团广东有限公司
CCIC GUANGDONG CO., LTD.

地址: 广东省广州市珠江新城花城大道56号西塔楼17-18楼
Add: 17-18/F, West Tower No.66 Hua Cheng Avenue, Zhu Jiang
New Town, Guangzhou, Guangdong, China
电话(Tel): 86-20-38290234
传真(Fax): 86-20-38290342
邮编(P.C): 510623

证书编号 No. 441819090020
签发日期 Date 2019 年 9 月 18 日

检验报告
REPORT OF INSPECTION

申请人/APPLICANT: 广东百山家居有限公司/Guangdong Baishan Furniture Co., Ltd.

样品说明/SAMPLE DESCRIPTION: 以下样品由申请人送达, 样品状况良好。/The samples submitted by the applicant are shown as follows.

申报品名/Sample Name	样品规格/Sample Size	标记/Mark	样品数量/Quantity
中纤板/MDF	18mm X 400mm X 400mm	01051900005486	-4-件/-4-Pcs

收样日期/DATE OF SAMPLE RECEIVED: 2019. 09. 10
检测日期/TEST PERIOD: 2019. 09. 10~2019. 09. 18
检测要求/TEST REQUESTED: 按照欧盟标准检测样品的甲醛释放量。/Determine the Formaldehyde release of the submitted sample(s) according to EN standard.
检测结果/Test Result:

检测项目 Test Item	检测方法 Test Method	限量要求 Limit Requirement	结果数据 Test Result	单位 Unit	单项评定 Assessment
甲醛释放量 Formaldehyde Release	BS EN ISO 12460-5:2015	E ₁ ≤ 8 E ₂ ≤ 30	1.1	mg/100g	符合 E ₁ 级要求 Grade E ₁

结束/End of report

备注: 1) 本报告译文如有任何异点, 概以中文为准。
Remarks: In case of divergence, the Chinese text shall be regarded as authentic.
2) 本报告壹正贰副
The report in 1 original and 2 copies.
3) 本检验结果仅对所检验样品负责。
The test results are responsible for the inspected samples only.

授权签字人: [Signature]
Authorized Signatory

For and on behalf of
CCIC GUANGDONG CO., LTD.
中国检验认证集团广东有限公司

统一社会信用代码: 914400007583210511
第 1 页 共 1 页 / Page 1 of 1

C 0235996

PRODUCT ADVANTAGE-RAW MATERIALS

Bad Quality MDF Board

Bad quality MDF board has high formaldehyde release with pungent smell, it is bad for health. It can not be made beautiful shaker doors.






WHERE THERE IS HOME, THERE IS PA KITCHEN

PRODUCT ADVANTAGE-RAW MATERIALS

PA Plywood Board

PA plywood has 11-layers wood and only has very low formaldehyde release, can reach E1 standard, no any pungent smell. It is very good at waterproof, the below picture is our plywood in a fish tank for more than one year, it still sticks very closed, no swelling. Its density is about 640kg/m³.



中国检验认证集团广东有限公司
CCIC GUANGDONG CO., LTD.

地址: 广东省广州市珠江新城华夏大道66号西塔楼17-18楼
Add: 17-18/F, West Tower, No.66, Hua Chuan Avenue, Zhu Jiang
New Town, Guangzhou, Guangdong, China
电话(Tel): 86-20-38290234
传真(Fax): 86-20-38290242
邮编(P.C): 510623

证书编号 No. 441818080032
签发日期 Date 2018年8月28日

检验报告
REPORT OF INSPECTION

申请人/Applicant: 广东百山家居有限公司/Guangdong Baishan Furniture Co., Ltd.

中报品名/Sample Name	标记/Sample Mark	样品数量/Quantity
夹板/plywood	01051800006087	-8-件/-8-PCS

收样日期/Date of sample received: 2018年08月15日/Aug.15,2018
验讫日期/Date of Test Finished: 2018年08月28日/Aug.28,2018
检测要求/Test Requested: 按照美国标准检测样品的甲醛释放量。/Determine the Formaldehyde release of the submitted sample(s) according to ASTM standard.
检测结果/Test Result:

检测项目 Test Items	单位 Unit	检测结果 Test Results	限量要求 Limit Requirement	检测方法 Test Method	结果评定 Assessment
甲醛释放量 Formaldehyde Release	ppm	0.03	≤ 0.05	ASTM D 6007: 2014	符合要求 Pass

结束/End of report

备注: 1) 本报告译文如有任何异点, 概以中文为准。
Remarks: In case of divergence, the Chinese text shall be regarded as authentic.
2) 本报告壹正叁副。
The report in 1 original and 3 copies.
3) 本检验结果仅对所检样品负责。
The test results are responsible for the inspected samples only.

授权签字人: [Signature]
Authorized Signatory 授权签字人 Authorized Signatures

统一社会信用代码: 914400007583210511
第1页 共1页/Page 1 of 1

C 0217298

中国检验认证集团广东有限公司
CCIC GUANGDONG CO., LTD.

地址: 广东省广州市珠江新城华夏大道66号西塔楼17-18楼
Add: 17-18/F, West Tower, No.66, Hua Chuan Avenue, Zhu Jiang
New Town, Guangzhou, Guangdong, China
电话(Tel): 86-20-38290234
传真(Fax): 86-20-38290242
邮编(P.C): 510623

证书编号 No. 441819090022
签发日期 Date 2019年9月24日

检验报告
REPORT OF INSPECTION

申请人/Applicant: 广东百山家居有限公司/Guangdong bашan furniture co., ltd

样品说明/Sample description: 以下样品由申请人送达, 样品状况良好。/The samples submitted by the applicant in good condition.

中报品名/Sample name	样品规格/Sample size	样品数量/Quantity
夹板/plywood	400mm X 400mm	-4-件/-4-Pcs

收样日期/Date of sample received: 2019.09.10
检测日期/Test period: 2019.09.10~2019.09.24
检测要求/Test requested: 按照欧盟标准检测样品的甲醛释放量。/Determine the formaldehyde release of the submitted sample(s) according to EN standard.
检测结果/Test result:

检测项目 Test item	检测方法 Test method	限量要求 Limit requirement	结果数据 Test result	单位 Unit	单项评定 Assessment
甲醛释放量 Formaldehyde release	EN 717-1:2004	E ₁ ≤ 0.124 E ₁ ≤ 1.20	0.022	mg/m ³	符合E1级要求 Grade E ₁

结束
END

备注: 1) 本报告译文如有任何异点, 概以中文为准。
Remarks: In case of divergence, the Chinese text shall be regarded as authentic.
2) 本报告壹正贰副。
The report in 1 original and 2 copies.
3) 本检验结果仅对所检样品负责。
The test results are responsible for the inspected samples only.

授权签字人: [Signature]
Authorized Signatory 授权签字人 Authorized Signatures

统一社会信用代码: 914400007583210511
第1页 共1页/Page 1 of 1

C 0241925

PRODUCT ADVANTAGE-RAW MATERIALS

Bad Quality Plywood Board

Bad quality plywood board has high formaldehyde release with pungent smell, it is bad for health. It is not good at waterproof. It swells easily in water.



PRODUCT ADVANTAGE-RAW MATERIALS

Board cutting

PA boards'cutting sheet is neat and tidy,no many chips.




Bad quality boards'cutting sheet has many chips,not tidy.



PRODUCT ADVANTAGE-RAW MATERIALS

Edge banding

PA PVC edge banding has strong toughness, not easily damaged; two different thicknesses of 0.6mm and 1.2mm. 1.2mm is used on the outside side of the panel, which is to prevent damage caused by closing the door. The three inside sides are 0.6mm, which can make the cabinet connected more closely; no glue mark on the board, the pvc edge is not easy to peel off, no bad smell.



Bad quality edge is fragile and easy to be broke; all sides edges are 0.6mm thick; bad glue smell; the edge is easy to peel off.



PRODUCT ADVANTAGE-RAW MATERIALS

Drilling

PA drilling hole is tidy and position exact, more convenient for installation



Bad quality machine drilling hole edge is not tidy, and the hole position is not exact. It will be a big problem for installation.



PRODUCT ADVANTAGE-RAW MATERIALS

Melamine

PA melamine board is scratch resistant, even we use a iron brush to brush it, the surface still looks good.



Bad quality melamine board is not scratch-resistant, it will have scratches once it is touched by a hard thing.



PRODUCT ADVANTAGE-RAW MATERIALS

UV

PA UV board surface looks similar with lacquer



PRODUCT ADVANTAGE-RAW MATERIALS

PVC

PA PVC has many color selection, the thickness of PVC film is 0.035mm, it can be used for 15 years long. PA uses Germany glue which is very important material for PVC products, high adhesion which makes the PVC film strongly stick on the panel, hard to shell off. The door shape can be flat and shaker, it's very similar to solid wood.



PRODUCT ADVANTAGE-RAW MATERIALS

Lacquer


PA lacquer has even color, smooth surface without bubbles, good mirror effect, not easy to drop paint.

Glossy lacquer: 3 layers base coats and 3 layers top coats;

Matt lacquer: 3 layers base coats and 2 layers top coats;

Process of each layer: polishing - painting - drying. It need at least 8 hours for each layer process.

Even using for years, our lacquer will not have color difference.



PRODUCT ADVANTAGE-RAW MATERIALS

Lacquer


Back quality lacquer has uneven color and the surface looks very bad, easy to drop paint. Only three to four layers lacquer coats. It is easy to have color difference after using for time.



PRODUCT ADVANTAGE -RAW MATERIALS

Timber Veneer


PA timber veneer has 7-8 layers lacquer painting;
Glossy lacquer: 4 layers base coats and 4 layers top coats;
Matt lacquer: 4 layers base coats and 3 layers top coats;
Process of each layer: polishing - painting - drying.
The hardness can reach 4H.
Smooth surface without bubbles, good mirror effect, not easy to drop paint.



PRODUCT ADVANTAGE-RAW MATERIALS

Hardware-Hinge

PA hinge has soft closing system, long service life, strong bearing capacity, not easy to rust.



PRODUCT ADVANTAGE -RAW MATERIALS

Hardware-Drawer slider

PA drawer slider has soft closing, strong bearing capacity, smooth slider. It can bear more than 35kgs weight. Actually, we tried to stand in it, it has no any problem.



They are able to withstand more than 35kg of weight.



PRODUCT ADVANTAGE -RAW MATERIALS







Hardware-Sliding door slider

PA sliding door slider has soft closing, strong bearing capacity, smoothly slide.

PRODUCT ADVANTAGE-RAW MATERIALS

Countertop

PA countertop all are artificial quartz, strong hardness, too hard to scratch and break, heat-resisting and hard to be stained. There are a variety of countertop colors and patterns. The countertop edge shape can be customized according to client's requirement.





GUANGDONG BAISHAN FURNITURE CO., LTD.
FOSHAN PA FURNITURE CO., LTD. (PA KITCHEN)

Mobile/Wechat/Whatsapp: +8613889922422

Email: info@pakitchen.com

Website: www.pakitchen.com

China Factory: No.16 Hegui Rd. Nanhai, Foshan, China

Indonesia Factory: No.5 Batusari, Tangerang, Indonesia

Marketing Headquarters: Bld 7, Meiju IBME Center, Foshan, China

THANKS